



0300

Patent
P946

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN RE APPLICATION OF:
LEMCHEN

SERIAL NO. : 09/746,947

FILED: DEC. 21, 2000

FOR: A METHOD AND APPARATUS
FOR THE USE OF A NETWORK
SYSTEM FOR BIOFEEDBACK
STRESS REDUCTION

Examiner: unassigned

Group Art Unit: unassigned

RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS
AND TRANSMITTAL OF DRAWINGS

Hon. Commissioner of Patents and Trademarks
Washington DC 20231

Sir:

In reply to the Notice mailed Feb. 16, 2001, which is attached, please find

attached drawings in compliance with 37 CFR 1.84.

I hereby certify that the correspondence is being
deposited with the United States Postal Service as
first class mail in an envelope addressed to: Com-
missioner of Patents and Trademarks, Washington.

D.C. 20231, on 3/16/01 (Date of Deposit)

Bernadette M. Castro

Bernadette M. Castro


Date of Signature 3/16/01

Mailing Address:
Daniel L. Dawes
5252 Kenilworth Dr.
Huntington Beach, California 92649

Respectfully submitted,

Daniel L. Dawes

Daniel L. Dawes
Reg. No. 27123
714 444 1199
fax 714 444 1198



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/746,947	12/21/2000	Marc S. Lemchen	P946

CONFIRMATION NO. 2376

FORMALITIES LETTER



MYERS, DAWES & ANDRAS LLP
Suite 650
650 Town Center Drive
Costa Mesa, CA 92626

Date Mailed: 02/16/2001

NOTICE TO FILE CORRECTED APPLICATION PAPERS


Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);
 - drawings submitted to the Office are not electronically reproducible. Drawing sheets must be submitted on paper which is flexible, strong, white, smooth, non-shiny, and durable (see 37 CFR 1.84(e));

*A copy of this notice **MUST** be returned with the reply.*


Customer Service Center
Initial Patent Examination Division (703) 308-1202

PART 1 - ATTORNEY/APPLICANT COPY